

数据库系统性能优化

2

3

4

5

6

n

30

Office

35

P h /SQL

BI

35

3

35

±°: D2 ¼6

2 3

#

Office

35

" - 7 X.ý ö 6 ' 2

35

" - 7 X.ý ö 6 ' 2

5

06

Jž

Of

3

+

+

05

cg @163.c

)5

+

o

12			455		1	18361066105 h @g e.c
13			35		3	
14			45510		1	
15			351CAD		1	
16			35		1	
17			35		1	
18			40PACK3 (E a)PLC ()CAD UG SOLIDWORKS		1	
19			35CADOffice		1	
20			353 Office		1	
21			35		3	0515-68669679 1724386547@ .c
22			45		1	
23			45		1	

24			35 Office		1	17551622615 857328012@ .c
25			30		2	
26			35		1	13910037885 d h@ i ech- d .c
27			35		3	
28			35		2	
29			10		1	18099726777 402639576@ .c
30			5		5	
31			5		1	
32			3		1	
33			35 Office E ce 1-2		1	13511028666 13515618380 393358328@ .c

34			45		1	15773465114 bj h @163.c
35			45		1	
36			45		2	
37			45		10	
38			45		2	
39			45		3	
40			Ma GIS ffice		5	0991-3851801 j h c@126.c
41			45 5		1	010-58297007 chh @126.c
42			45 ffice	1	1	
43			45		1	
44			45		1	
45			45		3	
46			45 PMP 2 GIS 3 GIS		3	

47			45PMP2P_jec	1		010-63702715 i_e_hb@163.c
48			4525/ 5	1		
49			45	9		
50			452CAD_GIS	1		
51			452SUFFER\MODELFLOW	3		
52			452CAD_GISOffice	3		
53			452CAD_GIS	3		